

AIP Cook Islands

AIRAC

AIP SUPPLEMENTS

**Effective
7 NOV 19**

Effective at: 1911071000 UTC

This issue entirely replaces previous issues.

CONTENTS

2018

5/18 Rarotonga Aerodrome (NCRG) — Alternate Minima 1

2019

5/19 AIP Publications Status Checklist 1

5/18

Rarotonga Aerodrome (NCRG) — Alternate Minima Effective: 8 NOV 18

With effect from 8 NOV 18 minima applicable for Rarotonga to be nominated as an alternate will be in accordance with New Zealand CA Rule Part 91.405, criteria below:

An aerodrome must not be listed as an alternate aerodrome unless the weather forecast at the time of submitting the flight plan indicates that, at the estimated time of arrival, the ceiling and visibility at that aerodrome will be at or above the following weather minima:

- a) For a precision approach procedure, ceiling of 600 ft or 200 ft above DA/DH, whichever is the higher, and visibility of 3000 m or 1000 m more than the prescribed minimum, whichever is the greater.
- b) For a non-precision approach procedure, ceiling of 800 ft or 200 ft above MDA, whichever is the higher, and visibility of 4000 m or 1500 m more than the prescribed minimum, whichever is the greater.

Alternate minima shown on the instrument approach charts for Rarotonga are being removed progressively; AIP Cook Islands is being amended.

5/19 Cancels 4/19

AIP Publications Status Checklist Effective: 7 NOV 19

The purpose of this AIP Supplement is to advise the current status of AIP Cook Islands products and associated charting.

AIP Cook Islands	7 NOV 19
AIP Supplement	7 NOV 19
Auckland Oceanic FIR Enroute Chart	7 NOV 19

Supplements Cancelled

2019

3/19

4/19